

Searches for 09/692,949

IEEE Searches

snmp <near/8> xml

network <near/4> (monitor* or manag* or configur*) <near/6> xml

(monitor* or manag* or configur* or poll* or control*) <near/5> (router or bridge or switch or hub or "network device" or node) <near/5> xml

(monitor* or manage* or configur*) and <near/10> (switch or router or bridge or hub or gateway or node) <near/10> (html or markup or xml)

qos <near/10> xml

ProQuest Search

snmp w/6 xml

network w/6 (monitor? or manag? or configur?) w/6 xml

managexml

(monitor? or manag? or configur? or poll? or control?) w/5 (router or bridge or switch or hub or "network device" or node) and xml

oplet

snmp and xml and (manag? or monitor? or configur?)

Google.com

managexml

xml snmp monitor router

xml snmp monitor router api

	L #	Hits	Search Text	DBs
1	L1	139	(receiv\$4 or retriev\$4) near5 (dtd or document near3 definition) with (document or identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	76	1 and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	15	2 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	97	(select\$4 or choos\$4) near5 (dtd or document near3 definition) with (document or identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	101	(select\$4 or choos\$4) near5 (dtd or document near3 definition) with (document or identifier or id or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	34	5 and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	10	(select\$4 or choos\$4) near5 (dtd or document near3 definition) with (document or identifier or id or identification) with (based or according or depending)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	19	(6 7) and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	7	(select\$4 or choos\$4) with (dtd or document near3 definition) with (document near5 (id or identity or identification or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
10	L10	301	snmp and packet near3 forward\$3 with (switch or router)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	166	10 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	20	(snmp or xml) same (packet near3 forward\$3 with (switch or router))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L13	8	12 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L14	24	oplet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L15	13	14 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L16	192	stor\$3 near4 (dtd or document adj type adj definition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	L17	98	(select\$3 or choos\$3 or chosen) near6 (dtd or document adj type adj definition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L18	40	16 and 17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L19	26	18 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	4068	709/223,224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	360	1 and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	58	2 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	46	xml near5 snmp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	70	network near4 (monitor\$4 or manag\$5 or configur\$5) near6 xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	49	(monitor\$3 or manag\$5 or configur\$5 or poll\$3 or control\$4) near5 (router or bridge or switch or hub or network adj device or node) near5 xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	12	query\$3 near4 (switch or router or bridge or hub or gateway or node) near4 xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	16	(4 5 6 7) and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	3	qos with xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L2	0	keith.in. and vanderveen.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L3	0	(john adj ajita).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L1	11	binay.in. and sugla.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	10033	xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	2198	xml and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	297	5 and xml with (manag\$5 or monitor\$3 or configur\$5 or query\$3 or poll\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	111	5 and xml with (manag\$5 or monitor\$3 or configur\$5 or query\$3 or poll\$3).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	52	7 and xml with document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	18	8 and dtd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	1	xml with snmp with (instead or replac\$5 or alternat\$3 or place or rather)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	73	(monitor\$3 or manag\$5 or configur\$5 or poll\$3 or control\$4) near5 (element) near5 xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	10	query\$3 near4 (element) near4 xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
13	L13	16	(11 or 12) and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L14	541	(monitor\$3 or manag\$5 or configur\$5 or poll\$3 or control\$4) with (router or bridge or switch or hub or device or element or node) with xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L15	83	(14) and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L2	30	(monitor\$3 or manag\$5 or configur\$5 or poll\$3 or control\$4) near5 (router or bridge or switch or hub or network adj device or node) near5 xml and @pd>20030916	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L4	2	2 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L1	23	(709/223,224.ccls. and xml) and (@ad<20001020 or @prad<20001020) and @pd>20030916	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L5	6	"6546419"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L6	16	humpleman.in. and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L7	3	6 and router	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L8	23	(manag\$4 or control\$4 or configur\$4) near5 (forwarding) near5 (router or switch) with (remote\$2 or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L9	14	8 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L10	17809	(manag\$4 or control\$4 or configur\$4) near5 (router or switch) near5 (remote\$2 or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L11	58	10 and forwarding near2 service	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L12	30	11 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
12	L13	2351	((manag\$4 or control\$4 or configur\$4) near5 (router or switch) near5 (remote\$2 or server)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L14	1	13 and 709/220,223,224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L15	7288	((manag\$4 or control\$4 or configur\$4) near5 (router or switch) near5 (remote\$2 or server)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L16	33	15 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L17	13	16 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	L18	22	((manag\$4 or control\$4 or configur\$4) near5 (router) near5 (remote\$2 or server)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L19	16	18 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L20	218	((manag\$4 or control\$4 or configur\$4) near5 (router) near5 (remote\$2 or server)).ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L21	16	20 same forward\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	L22	101	20 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	L23	9	21 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	L24	149	((manag\$4 or control\$4 or configur\$4) near5 (router or switch) near5 (forward\$3 or mib)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
24	L25	4638	((manag\$4 or control\$4 or configur\$4) near5 (router or switch) near5 (forward\$3 or mib))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	L26	356	((manag\$4 or control\$4 or configur\$4) near5 (router) near5 (forward\$3 or mib))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	L27	24	((manag\$4 or control\$4 or configur\$4) near5 (rout\$5)).ti. and 26	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	L28	14	27 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	L29	4549	((manag\$4 or control\$4 or configur\$4) near5 (router or routing)) and (forward\$4 or mib) with (router or routing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	L30	1148	((manag\$4 or control\$4 or configur\$4) near5 (router or routing)) with (forward\$4 or mib)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	L31	91	30 and (rmon or mib)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	L32	47	31 and (@ad<20001020 or @prad<20001020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	L33	19	xml with configur\$5 with router	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB